

AceleMax® AXG-728IS

NVIDIA HGX H200 8-GPU SXM5 H200 AI Server for Generative AI Workloads



Features

- 7U NVIDIA HGX H200 eight-GPU server with dual 4th Gen Intel Xeon Scalable processors, designed for large-scale AI and HPC and with up to 12+1 PCle slots, 32 DIMM, 10 NVMe, dual 10Gb LAN and OCP 3.0 (optional)
- Direct GPU-to-GPU interconnect via NVLink delivers 900GB/s bandwidth for efficient scaling
- Energy-efficient design with independent CPU- and GPUairflow tunnels for power savings

Specifications	
Processor	• 2 x Socket • Intel® Xeon® 8558 Scalable Processor
Memory	 Total Slots: 32 (8 channel per CPU, 16 DIMM per CPU) Capacity: Maximum up to 4TB per CPU socket Memory Type: DDR5 4800/4400 RDIMM/ 3DS RDIMM (2DIMM per Channel) Memory Size: 64GB RDIMM 256GB, 128GB RDIMM 3DS
Storage	SSD PCIE Gen4/2TB M.2 2280/(Consumer) Samsung PM9A1
Networking	 2X10Gb RJ45 Lan Module Intel-X710-AT2 Based-T Onboard SP, 400Gb/s NDR HHHL, Gen5 x16 MCX75310AAS-NEAT
Front I/O Ports	 4 x USB3.2 Gen1 ports 1 x VGA port 2 x 10Gb RJ45 LAN module (Intel-x710 Based) 1 x Mgmt LAN 1 x locate button 1 x power button

Specifications	
Rear I/O Ports	• 1 x locate button • 1 x power button
Switch/LED	• Front: 1 x Power Button/LED 1 x Location Button/LED 1 x Message LED 1 x Q-Code/Port 80 LED • Rear: 1 x Location LED 1 x Power Button/LED
Power Supply	• 4+2 or 3+3 Redundant 4000W 80 PLUS Titanium Power Supply
Environment	 Operation temperature: 10°C ~ 35°C Non operation temperature: -40°C ~ 70°C Non operation humidity: 20% ~ 90% (Non condensing)
Dimensions	• 885mm x 447mm x 306.65mm

